

# United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.		FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/909,049		07/18/2001	Suresh Katukam	CISCP694	8487
54406	7590	05/01/2006		EXAMINER	
AKA CHA			CHEA, PHILIP J		
SUITE 710				ART UNIT	PAPER NUMBER
SANTA CLARA, CA 95050				2153	
				DATE MAILED: 05/01/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

•	Application No.	Applicant(s)					
	09/909,049	KATUKAM ET AL.					
Office Action Summary	Examiner	Art Unit					
	Philip J. Chea	2153					
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address					
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be timulating the sound and will expire SIX (6) MONTHS from cause the application to become ABANDONE!	. the mailing date of this communication. (35 U.S.C. § 133).					
Status	•	•					
1)⊠ Responsive to communication(s) filed on 06 Fe	Responsive to communication(s) filed on <u>06 February 2006</u> .						
,	ince this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under E							
	,						
Disposition of Claims	•						
4)⊠ Claim(s) <u>1-6,8-11,19-27 and 37-46</u> is/are pending in the application.							
4a) Of the above claim(s) is/are withdraw	wn from consideration.						
5) Claim(s) is/are allowed.	Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-6,8-11,19-27 and 37-46</u> is/are rejec	Claim(s) <u>1-6,8-11,19-27 and 37-46</u> is/are rejected.						
8) Claim(s) are subject to restriction and/o	r election requirement.						
Application Papers							
9) The specification is objected to by the Examine	r.	·					
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.							
Applicant may not request that any objection to the	drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correct	ion is required if the drawing(s) is ob	jected to. See 37 CFR 1.121(d).					
11)☐ The oath or declaration is objected to by the Ex	caminer. Note the attached Office	Action or form PTO-152.					
Priority under 35 U.S.C. § 119							
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>							
Attachment(s)	· .						
1) Notice of References Cited (PTO-892)	4) / Interview Summary						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	Paper No(s)/Mail Do 5) Notice of Informal F 6) Other:	ate Patent Application (PTO-152)					
		· · · · · · · · · · · · · · · · · · ·					

Art Unit: 2153

#### **DETAILED ACTION**

This Office Action is in response to an Amendment filed February 6, 2006. Claims 1-6,8-11,19-27,37-46 are currently pending. Examiner acknowledges that claim 45 was not examined in the previous rejection, and has included it in the current rejection.

## Claim Rejections - 35 USC § 112

- 1. The following is a quotation of the second paragraph of 35 U.S.C. 112:
  - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 2. Claims 37,38 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- 3. Regarding claims 37 and 38, the phrase "substantially" renders the claim indefinite because it is unclear what bound following the phrase is part of the claimed invention. See MPEP § 2173.05(d).

### Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 5. Claims 1-3,5,8-11,19,21-24,26-27,37-38,44-46 are rejected under 35 U.S.C. 102(e) as being anticipated by Jain (US 2002/0112072).

As per claims 1, Jain discloses a system for computing paths between a first node and a second node within a network, as claimed, comprising:

a memory (see paragraph [0063]);

Art Unit: 2153

- a route generator being arranged to generate a primary circuit path between the first node and the second node, the primary path including a first element selected from the plurality of elements (see paragraph [0079-0080], where primary path is a path from a base node to end node); wherein the route generator is arranged to accept an input, the input being arranged to specify one selected from the group including a nodal diverse constraint and a link diverse constraint for the alternate circuit path (see paragraph [0081] and [0098], where a node or link can be protected implying that an alternate node or link is implemented); and
- a list mechanism, the list mechanism being stored in the memory, the list being arranged
  to identify the first element, wherein the route generator is further arranged to generate
  an alternate circuit path between the first node and the second node using the list
  mechanism and the input, wherein the alternate circuit path does not include the first
  element identified by the list mechanism and a failure of the first element does not affect
  generating the alternate circuit path (see paragraph [0078 and [0081]).

As per claims 2, Jain discloses a system, as claimed, wherein the first element is a link (see paragraph [0098]).

As per claims 3, Jain discloses a system, as claimed, wherein the first element is a node (see paragraph [0098]).

As per claim 5, Jain discloses a system, as claimed, wherein the route generator is arranged to generate the primary circuit path that includes the first element and a set of elements (see paragraph [0098], where having a protected path implies that there is a primary path to protect), and the list mechanism is arranged to identify the first element and the set of elements as being inaccessible for use in generating the alternate circuit path (see paragraph [0098], where a protected path may be a series of links and nodes, implying a set of elements inaccessible for use in generating the alternate circuit).

As per claim 8, Jain discloses a system, as claimed, wherein when the input specifies the nodal diverse constraint, the first element is a node (see paragraph [0098]).

Art Unit: 2153

As per claim 9, Jain discloses a system, as claimed, wherein when the input specifies the link diverse constraint, the first element is a link (see paragraph [0098]).

As per claim 10, Jain discloses a system, as claimed, wherein the device is associated with the first node (see Jain paragraph [0063]).

As per claim 11, Jain discloses a system, as claimed, wherein the route generator is further arranged to implement the primary circuit and the alternate circuit path (see paragraph [0062]).

As per claims 19 and 24, Jain discloses an element for use in an optical network, the optical network including a plurality of links, the element comprising:

a memory (see paragraph [0063]);

a route generator, the route generator being arranged to compute a first circuit path between the element and the destination node, the first circuit path including a first link included in the plurality of links (see paragraph [0079-0080], where primary path is a path from a base node to end node) wherein the route generator is arranged to accept an input, the input being arranged to specify one selected from the group including a nodal diverse constraint and a link diverse constraint for a second circuit path between the element and the destination node (see paragraph [0098]), the input further being arranged to specify circuit characteristics for the first circuit path and for the second circuit path (see [0102]); and

a list, the list being stored in the memory, the list including a plurality of identifiers, the plurality of identifiers being arranged to identify selected links included in the plurality of links, the plurality of identifiers including a first identifier that identifies the first link, wherein the route generator is further arranged to compute the second circuit path using the list and the input, wherein the second circuit path includes a second link included in the plurality of links and does not include the selected links identified by the plurality of identifiers included in the list (see paragraph [0078-0081] and [0098]), wherein a failure of any of the selected links identified by the plurality of identifiers included in the list does not affect computing of the second circuit path.

As per claim 21, Jain further discloses a system, as claimed, wherein the element described in claim 19 is a source node (see paragraph [0077]).

Art Unit: 2153

As per claim 22, Jain further discloses a system, as claimed, wherein route generator identifies a first link to place in the list (see paragraph [0098]).

As per claim 23, Jain further discloses identifiers that are arranged to identify the selected links included in the plurality of links and to place the plurality of identifiers that are arranged to identify the selected links included in the plurality of links in the list (see paragraph [0080]).

As per claim 26, Jain further discloses an element applied to claim 23 above as a source node (see paragraph [0077]).

As per claim 27, Jain further discloses an element applied to claim 23 above to place the first identifier that identifies the first node in the list (see paragraph [0080]).

As per claim 37, Jain further discloses that the route generator is arranged to generate the primary circuit path and the alternate circuit path as nodal diverse paths in which the primary circuit path and the alternate circuit path have substantially no common nodes between the first node and the second node, and wherein when the primary circuit path and the alternate circuit path are the nodal diverse paths, the first element is a node (see paragraphs [0078-0081] and paragraph [0098]).

As per claim 38, Jain further discloses that the route generator is arranged to generate the primary circuit path and the alternate circuit path as link diverse circuit paths in which the primary circuit path and the alternate circuit path share substantially no links between the first node and the second node, and wherein when the primary circuit path and the alternate circuit path are the link diverse circuit paths, and the first element is a link (see paragraphs [0078-0081] and paragraph [0098]).

As per claim 44, Jain discloses a method for computing circuit paths between a first node and a second node within a network, the network including a plurality of elements, the network comprising:

receiving an input, the input being arranged to specify one selected from a group including a nodal diverse constraint and a link diverse constraint for an alternate circuit path between the first node and the second node relative to a primary circuit path between the first node and the second node, the input further being arranged to specify circuit characteristics for the primary circuit path and for the alternate circuit path (see paragraph [0098] and [0102]);

Art Unit: 2153

generating the primary circuit path, the primary circuit path including a first element selected from the plurality of elements, wherein generating the primary circuit path includes accounting for the specified circuit characteristics (see paragraph [0102-0103]);

creating a list, the list being arranged to identify the first element (see paragraph [0080]); storing the list in a memory (see paragraph [0080] and [0063]); and

generating the alternate circuit path to not include the first element and to account for the specified circuit characteristics, wherein generating the alternate circuit path includes accessing the stored list and identifying the first element stored in the first list as being blocked from use in routing the alternate circuit path and wherein a failure of the first element does not affect generating the alternate circuit path (see paragraph [0080-0081]).

As per claim 45, Jain further discloses that the specified circuit characteristics include one selected from a group including a shortest path characteristics and a load balancing characteristic (see paragraph [0084]).

As per claim 46, Jain further discloses that the nodal diverse constraint specifies that any nodes in the primary circuit path between the first node and the second node are not included in the alternate circuit path and wherein the link diverse constraint specifies that any links in the primary circuit path between the first node and the second node are not included in the alternate circuit path (see paragraph [0098] and [0081]).

## Claim Rejections - 35 USC § 103

6. Claims 4,6,20,25,39-43 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jain as applied to claims 1, 5, 12,19,24 above, and further in view of Applicant's admitted Prior Art.

As per claims 4,6,20 and 25, Jain discloses means for identifying the link as being inaccessible to the alternate circuit path, wherein the means for including the identifier which identifies the first element as being inaccessible for use as a part of the alternate circuit path is arranged to include an identifier

Art Unit: 2153

which identifies the link as being inaccessible to the alternate circuit path in the list (see paragraph [0078]).

Although the system disclosed by Jain shows substantial features of the claimed invention (discussed above), it fails to disclose the link being a protected link.

Nonetheless, these features are well known in the art and would have been an obvious modification of the system disclosed by Jain, as evidenced by the Applicant.

In an analogous art, the Applicant discloses that it is old and well known in the art to have a network that contains protected links (see Specification page 2, lines 17-27). Further it would have been obvious to modify Jain by enabling the alternate circuit path to avoid the protected link and identify it as being inaccessible in order to avoid the high costs incurred of traversing the protected link.

As per claim 39, Jain in view of Applicants admitted Prior Art discloses a memory (see Jain paragraph [0063]);

a route generator being arranged to generate a primary circuit path between the first node and the second node, the primary path including a first element selected from the plurality of elements (see Jain paragraph [0080-0081]), wherein the route generator is arranged to accept an input, the input being arranged to specify one selected from the group including a nodal diverse constraint and a link diverse constraint for the alternate circuit path (see Jain paragraphs [0098]), the input further being arranged to specify a load characteristic that is to be accounted for when the alternate circuit path is generated (see Jain paragraph [0102]); and

a list mechanism, the list mechanism being stored in the memory, the list being arranged to identify the first plurality of elements and at least one protected element (see Jain paragraph [0080] and discussion above regarding Applicants admitted Prior Art), wherein the route generator is further arranged to generate an alternate circuit path between the first node and the second node using the list mechanism and the input, wherein the alternate circuit path does not include the first plurality of elements and at least one protected element identified by the list mechanism (see Jain paragraphs [0078-0081], and discussion above regarding Applicants Prior Art).

Art Unit: 2153

As per claim 40, Jain in view of Applicants admitted Prior Art further discloses the first plurality of elements are link diverse constraint (see Jain paragraph [0098]).

As per claim 41, Jain in view of Applicants admitted Prior Art further discloses that the first plurality of elements are nodes if the input specifies a nodal diverse constraint (see Jain paragraph [0098]).

As per claim 42, Jain in view of Applicants admitted Prior Art further discloses that the list mechanism is a tabular list (see Jain paragraph [0063]).

As per claim 43, although Jain in view of Applicants admitted Prior Art does not expressly disclose that the tabular list includes a heading area that identifies the first plurality of elements and a heading area that identifies the at least one protected element, Jain does show that a table can be used to store possible points of failure that require protected links and/or nodes. At the time of the invention, a person skilled in the art would have found it obvious to include a heading area to identify the protected links and/or nodes and a heading area that identifies the at least one protected element in order to avoid the high costs incurred of traversing the protected link.

### Response to Arguments

7. Applicant's arguments with respect to claims 1-6,8-11,19-27,37-46 have been considered but are most in view of the new ground(s) of rejection.

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Philip J. Chea whose telephone number is 571-272-3951. The examiner can normally be reached on M-F 7:00-4:30 (1st Friday Off).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor,

Glenn Burgess can be reached on 571-272-3949. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2153

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Philip J Chea Examiner Art Unit 2153

PJC 4/19/06

Dung C. L.... Timor: Examinu